Max TECHNOLOGY

NUMAX TECHNOLOGY (P) LTD.
(An ISO 9001:2008 Company)



"Max-Bio SpeedFace10M"

Visible Light Facial Recognition

- Long Range Detection
- Visible Light Facial Recognition
- Live Face Detection
- Touch Screen
- 4.3" Capacitive LCD
- 200W Pixel
- ID Card
- WiFi BT

www.maxtechnology.org
www.numaxindia.com


MAX TECHNOLOGY
&
NUMAX TECHNOLOGY (P) LTD.
405, Sai Plaza, 187-188 Sant Nagar, East of Kailash, New Delhi-110065.
011 - 4162 6278, 2642 6278, 844810 6278, 931938 6278.
Email: sales@numaxindia.com

Authorised Dealer

Due to Continuous Product Development, The Design & Specification are Subject to Change without Prior Notice
All Logo's & Trademarks are the property of their respective Owners. Max Technology is the registered trademark of M/s. Numax Technology (P) Ltd.


2 Million Pixel Wide Angle Dynamic Camera

Face Recognition Speed is Less Then 0.2s



4.3 inch Touchable LCD Display

4.3 inch Touchable LCD Display, Real-Time Face Show in Prompt Box, Easy for User Calibration.



LED
Support LED and Infrared Light Compensation at Night

HD Infrared Camera
Infrared Detection Camera, Make Picture Automatic Exposure and Extend Identification Range

LCD Display
4.3 inch Touchable LCD Display

Doorbell

Card Reader

www.maxtechnology.org
www.numaxindia.com

MAX TECHNOLOGY
&
NUMAX TECHNOLOGY (P) LTD.
405, Sai Plaza, 187-188 Sant Nagar, East of Kailash, New Delhi-110065.
011 - 4162 6278, 2642 6278, 844810 6278, 931938 6278.
Email: sales@numaxindia.com

Authorised Dealer

Due to Continuous Product Development, The Design & Specification are Subject to Change without Prior Notice
All Logo's & Trademarks are the property of their respective Owners. Max Technology is the registered trademark of M/s. Numax Technology (P) Ltd.

SPECIFICATIONS

CPU Processor	4 Core 1.2G
RAM	1GB
ROM	8GB
Camera	200WPixel HD Colorful Camera 100W Infrared Camera
LED	LED Double High Power Infrared Light
Display Screen	4.3 inch Electronic Capacity Touch Screen
Screen Resolution	800*480
Communication Method	TCP/IP，USB type-A port,WIFI
FRR	<= 0.1%
FAR	<= 0.001%
Power Supply	DC 12V，2A
Working Temperature	—15℃ to 60℃
User Capacity	10,000
Record Capacity	1,00,000
Identification Style	Visible Light Facial Recognition, PIN , ID, Face & Pin Combination
Face Recognition Mode	1:1, 1:N
Identification Display	Name Recognition, Work Number Recognition
Face Recognition Time	Less than 0.2s
Intelligent Function	Live Face Detection
Detection Range	0.5-3m
Magnetic Door	Support
Alarm Output	1 Set
WG	1 Set WG IN ,OUT
Dimension	184mm*113mm*20mm

www.maxtechnology.org
www.numaxindia.com

MAX TECHNOLOGY
&
NUMAX TECHNOLOGY (P) LTD.
405, Sai Plaza, 187-188 Sant Nagar, East of Kailash, New Delhi-110065.
011 - 4162 6278, 2642 6278, 844810 6278, 931938 6278.
Email: sales@numaxindia.com

Authorised Dealer

Due to Continuous Product Development, The Design & Specification are Subject to Change without Prior Notice
All Logo's & Trademarks are the property of their respective Owners. Max Technology is the registered trademark of M/s. Numax Technology (P) Ltd.